


IMAGE 1 SOLAR WALL LIGHTS



## Introduction -



MAIN FEATURES

Solar Wall Light Series



Solar Wall Led Light with Human sensor

- Aluminum +PC , Never Fade
- High brightness 1000lm
- O Dual CCT -3500K/6000K
- O Human sensor , intellegient for light
- Easy installation, IP65
- $\odot$  Auto on/off day and night



## TECHNICAL SPECIFICATIONS

Technical Speficiaions		
Epistar SMD_LED	1000LM	
LED Illumination color	Dual CCT (3500K/6000K optional by switch )	
Battery Type	3.7V 4000mAh, Li-ion,	
Solar Panel	4W PET Laminated Plate	
Charging method	Solar power	
Solar charging time	6-8 hrs by bright sunshine	
Lighting time	12hrs after full charged	
Sensor	Light sensor / Motion sensor	
Lighting mode	30s for 100% brightness once motion detected , if there no motion detected, it will keep dim 25% brightness .	
Material	ABS+PC	
Product Size	300MM*117MM*56MM	
IP level	65	
Working Temperature	-25°C ~ 65°C	
Warranty	1 year	
Certificate	CE,ROHS ,FCC , ISO9001:2015	
Installation height	2-3M	
Package	Product Size : 300*117*56MM Plain Box 34*14*8CM 0.78KG Ctn Size: 69*43*25CM 18pcs/ctn G.W:15KG 20GP: 8358pcs 40GP: 17313pcs 40HQ: 20298pcs -	





\* SOLAR LIGHTS DESIGN

l m i t

d

## SOLAR WALL LIGHTS





Installation Notes





Drill two holes in the wall with an electric drill







04 Fasten to the expansion bolt with screws








Very suitable using in Villa ,Billboards,garden wall, courtyard wall,park wall,villa balcony






## Boutique







	SWL-12
Packing details	18pcs/ctn
Ctn Size	690*430*250mm
Gross weight	15kg

